


Canine Ventricular FMG02-SM

Simucore Model Based Upon: Fox, McHarg, Gilmour Model of Canine Ventricular Cardiac Action Potentials, 2002; v. 1.4

Table of contents

1 Description.....	2
2 References.....	3
3 Ordering.....	3

1 Description



The model is used to simulate canine ventricular action potentials. It uses modified current formulations from Luo-Rudy II guinea-pig and Winslow et al. canine ventricular models. The simplified Ca^{2+} handling is included.

Abstract excerpt: "...we developed a new ionic model using formulations of currents based on previous models and recent experimental data. Compared with existing models, the inward rectifier $\text{K}(+)$ current ($I(\text{K1})$) was decreased at depolarized potentials, the maximum conductance and rectification of the rapid component of the delayed rectifier $\text{K}(+)$ current ($I(\text{Kr})$) were increased, and $I(\text{Kr})$ activation kinetics were slowed. The slow component of the delayed rectifier $\text{K}(+)$ current ($I(\text{Ks})$) was increased in magnitude and activation shifted to less positive voltages, and the L-type $\text{Ca}(2+)$ current ($I(\text{Ca})$) was modified to produce a smaller, more rapidly inactivating current. Finally, a simplified form of intracellular calcium dynamics was adopted."

2 References

- Fox JJ, McHarg JL, Gilmour RF Jr.
Ionic mechanism of electrical alternans.
Am J Physiol Heart Circ Physiol. 2002 Feb;282(2):H516-30.
PMID: [11788399](#)

3 Ordering

- [Order this model](#) or [request further information](#).